

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	23	(@ad<"20031213" or @rlad<"20031213") and (insert\$5 near4 (data or traffic) with ("network tap" or "data tap" or "stream tap"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/07/03 08:58
L3	188	(@ad<"20031213" or @rlad<"20031213") and (insert\$5 near4 (data or traffic) with ((network or data or traffic or stream) adj (monitor\$5 or analyz\$4 or tap or duplicat\$6)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/07/03 10:59
L4	0	(@ad<"20031213" or @rlad<"20031213") and ((transparent\$4 or undetect\$8) near4 (insert\$5 or added) near4 (data or traffic) with ((network or data or traffic or stream) adj (monitor\$5 or analyz\$4 or tap or duplicat\$6)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/07/03 09:40
L5	2	(@ad<"20031213" or @rlad<"20031213") and ((transparent\$4 or undetect\$8 or disrupt\$5) with (insert\$5 or added) near4 (data or traffic) with ((network or data or traffic or stream) adj (monitor\$5 or analyz\$4 or tap or duplicat\$6)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/07/03 09:41
L6	2	(@ad<"20031213" or @rlad<"20031213") and ((transparent\$4 or undetect\$8 or disrupt\$5) with (insert\$5 or added) near8 (data or traffic) with ((network or data or traffic or stream) adj (monitor\$5 or analyz\$4 or tap or duplicat\$6)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/07/03 09:41
L7	6	(@ad<"20031213" or @rlad<"20031213") and ((transparent\$4 or undetect\$8 or disrupt\$5) with (insert\$5 or add\$5) near8 (data or traffic) with ((network or data or traffic or stream) adj (monitor\$5 or analyz\$4 or tap or duplicat\$6)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/07/03 09:42
L8	281	(@ad<"20031213" or @rlad<"20031213") and ((network or data or traffic) adj (tap or monitor)) near5 ("integrated circuit" or "field programmable gate array" or fpga or switch)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/07/03 11:00

## EAST Search History

L9	20	(@ad<"20031213" or @rlad<"20031213") and ((network or data or traffic) adj (tap or monitor)) near5 ("integrated circuit" or "field programmable gate array" or fpga)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/07/03 12:46
L10	2	"5940376".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/07/03 12:46
L11	1247	"finisar".as.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/07/03 13:58
L12	1	"finisar".as. and ((insert\$5 near5 data) and (network near2 tap)).clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/07/03 13:59
L13	5	"finisar".as. and "network tap".clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/07/03 13:59
L14	10	"gordy, stephen".in. and (network near3 tap)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/07/03 14:02
L15	11	("gordy, stephen".in. or "poelstra, henry".in. or "otis, robert".in. or "gallatin, thomas".in.) and (network near3 tap)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/07/03 14:03
L16	7	("gordy, stephen".in. or "poelstra, henry".in. or "otis, robert".in. or "gallatin, thomas".in.) and (network near3 tap).clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/07/03 14:04
L17	7	("gordy, stephen".in. or "poelstra, henry".in. or "otis, robert".in. or "gallatin, thomas".in.) and (network near3 tap).clm. and (combin\$5 near5 (data or traffic)).clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/07/03 14:05

## EAST Search History

S5	8	"10/735,417" or "10/409,006" or "10/776,579" or "10/742,172" or "5940376".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/06/28 08:36
S7	2	"6026442".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/06/28 08:45
S8	27	(@ad<"20031213" or @rlad<"20031213") and ((network near3 tap) near3 config\$7)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/06/28 08:49
S9	9	(@ad<"20031213" or @rlad<"20031213") and ((network near3 tap) with (multiple or plural\$4 or several) near3 (devices or attach\$7))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/06/28 08:51
S10	4	(@ad<"20031213" or @rlad<"20031213") and (network near3 tap) and 709/250.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/06/28 09:47
S11	5	(@ad<"20031213" or @rlad<"20031213") and (regeneration adj tap)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/06/28 09:48
S12	5	(@ad<"20031213" or @rlad<"20031213") and (network near2 tap) with (full near2 duplex)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/06/28 09:50
S13	2	(@ad<"20031213" or @rlad<"20031213") and (network near2 tap) with (combined near2 (data or traffic))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/06/28 09:51
S14	3	(@ad<"20031213" or @rlad<"20031213") and (network near2 tap) with (receive adj (data or traffic))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/06/28 09:51
S15	10	(@ad<"20031213" or @rlad<"20031213") and (network near2 tap) with (receiv\$4 adj (data or traffic))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/06/28 09:53

## EAST Search History

S16	3	(@ad<"20031213" or @rlad<"20031213") and (network near2 tap) near3 (active)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/06/28 09:56
S17	15	(@ad<"20031213" or @rlad<"20031213") and "packet sniffer" with firewall	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/07/02 14:04
S18	256	(@ad<"20031213" or @rlad<"20031213") and (network adj tap)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/06/28 10:53
S19	3	(@ad<"20031213" or @rlad<"20031213") and (network adj tap) with ("full-duplex" or "full duplex")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/06/28 10:54
S20	4	(@ad<"20031213" or @rlad<"20031213") and (network adj tap) with (("full-duplex" or "full duplex") or ((multi or multiple) near2 port))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/06/28 10:54
S21	5	(@ad<"20031213" or @rlad<"20031213") and (network adj tap) with (("full-duplex" or "full duplex") or ((multi or multiple or two or several or plural\$6) near2 port))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/06/28 10:55
S22	5	(@ad<"20031213" or @rlad<"20031213") and ((network adj tap) or (regeneration adj tap)) with (("full-duplex" or "full duplex") or ((multi or multiple or two or several or plural\$6) near2 port))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/06/28 10:56
S23	1	(@ad<"20031213" or @rlad<"20031213") and ((network adj probe) or (packet adj sniffer)) with (("full-duplex" or "full duplex") or ((multi or multiple or two or several or plural\$6) near2 port))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/06/28 13:39
S24	3395	(@ad<"20031213" or @rlad<"20031213") and ((network or data or traffic) adj (probe or sniffer or tap))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/06/28 13:41

## EAST Search History

S25	37	(@ad<"20031213" or @rlad<"20031213") and ((network or data or traffic) adj (probe or sniffer or tap)) with (insert\$4 near2 (data or traffic))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/06/28 13:43
S26	5	(@ad<"20031213" or @rlad<"20031213") and ("709"/\$3.ccls. or "715"/\$3.ccls. or "705"/\$3.ccls. or "370"/\$3.ccls. or "340"/\$3.ccls. or "379"/\$3.ccls. or "340"/\$3.ccls.) and ((network or data or traffic) adj (probe or sniffer or tap)) with (insert\$4 near2 (data or traffic))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/07/03 08:54
S27	635	(@ad<"20031213" or @rlad<"20031213") and ("709"/\$3.ccls. or "715"/\$3.ccls. or "705"/\$3.ccls. or "370"/\$3.ccls. or "340"/\$3.ccls. or "379"/\$3.ccls. or "340"/\$3.ccls.) and ((network or data or traffic) adj (probe or sniffer or tap))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/06/28 13:46
S28	2	(@ad<"20031213" or @rlad<"20031213") and ("709"/\$3.ccls. or "715"/\$3.ccls. or "705"/\$3.ccls. or "370"/\$3.ccls. or "340"/\$3.ccls. or "379"/\$3.ccls. or "340"/\$3.ccls.) and ((network or data or traffic) adj (probe or sniffer or tap)) with (second near2 attached near2 device)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/06/28 13:46
S29	9	(@ad<"20031213" or @rlad<"20031213") and ("709"/\$3.ccls. or "715"/\$3.ccls. or "705"/\$3.ccls. or "370"/\$3.ccls. or "340"/\$3.ccls. or "379"/\$3.ccls. or "340"/\$3.ccls.) and ((network or data or traffic) adj (probe or sniffer or tap)) with ("full duplex" or "full-duplex" or "second segment" or (bi adj direction\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/06/28 13:49
S30	2	(@ad<"20031213" or @rlad<"20031213") and ("709"/\$3.ccls. or "715"/\$3.ccls. or "705"/\$3.ccls. or "370"/\$3.ccls. or "340"/\$3.ccls. or "379"/\$3.ccls. or "340"/\$3.ccls.) and ((network or data or traffic) adj (probe or sniffer or tap)) near3 active	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/06/28 13:55

## EAST Search History

S31	5	(@ad<"20031213" or @rlad<"20031213") and ("709"/\$3.ccls. or "715"/\$3.ccls. or "705"/\$3.ccls. or "370"/\$3.ccls. or "340"/\$3.ccls. or "379"/\$3.ccls. or "340"/\$3.ccls.) and ((network or data or traffic) adj (probe or sniffer or tap)) near3 (multiple or several or many or plural\$4 or second) adj port	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/06/28 17:16
S32	1	"Multi-port network tap".ti.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/06/28 14:05
S33	2	"5809187".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/06/28 15:38
S34	5	"shomiti".as.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/06/28 15:55
S35	13	"net optics".as.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/06/28 17:02
S36	7	(network near2 tap) and ((combin\$4 near2 network near2 data) with tap)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/06/28 17:14
S37	333	(network near2 tap) and ((switch or "span port" or "fan out buffer") with tap)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/06/28 17:25
S38	28	(network near2 tap) and (("span port" or "fan out buffer") with tap)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/06/28 17:16
S39	18	(network near2 tap) and (("span port" or "fan out buffer") with tap) and (@ad<"20031213" or @rlad<"20031213")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/06/28 17:22

## EAST Search History

S40	3	"10/459,111"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/06/28 17:24
S41	1	"10/459,111" and (tap)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/06/28 17:24
S42	280	(network near2 tap) and ((switch or "span port" or "fan out buffer") with tap) and (@ad<"20031213" or @rlad<"20031213")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/06/28 17:25
S43	249	(network near2 tap) and ((switch or "span port" or "fan out buffer") near8 tap) and (@ad<"20031213" or @rlad<"20031213")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/06/28 18:04
S44	11	"2002/0108059"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/06/28 17:30
S45	241	(network near2 tap) and ((switch or "span port" or "fan out buffer") near8 tap) and (@ad<"20030612" or @rlad<"20030612")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/06/28 18:04
S46	795	("709"/\$3.ccls. or "715"/\$3.ccls. or "705"/\$3.ccls. or "370"/\$3.ccls. or "340"/\$3.ccls. or "379"/\$3.ccls. or "340"/\$3.ccls.) and ((network or data or traffic) adj (probe or sniffer or tap))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/07/02 17:49
S47	185	("709"/\$3.ccls. or "715"/\$3.ccls. or "705"/\$3.ccls. or "370"/\$3.ccls. or "340"/\$3.ccls. or "379"/\$3.ccls. or "340"/\$3.ccls.) and (((network or data or traffic) adj (probe or sniffer or tap)) with (receiv\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/07/02 14:04
S48	130	("709"/\$3.ccls. or "715"/\$3.ccls. or "705"/\$3.ccls. or "370"/\$3.ccls. or "340"/\$3.ccls. or "379"/\$3.ccls. or "340"/\$3.ccls.) and (((network or data or traffic) adj (probe or sniffer or tap)) near6 (receiv\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/07/02 14:04

## EAST Search History

S49	102	(@ad<"20031213" or @rlad<"20031213") and ("709"/\$3.ccls. or "715"/\$3.ccls. or "705"/\$3.ccls. or "370"/\$3.ccls. or "340"/\$3.ccls. or "379"/\$3.ccls. or "340"/\$3.ccls.) and (((network or data or traffic) adj (probe or sniffer or tap)) near6 (receiv\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/07/02 14:27
S50	3	(@ad<"20031213" or @rlad<"20031213") and ("709"/\$3.ccls. or "715"/\$3.ccls. or "705"/\$3.ccls. or "370"/\$3.ccls. or "340"/\$3.ccls. or "379"/\$3.ccls. or "340"/\$3.ccls.) and (((network or data or traffic) adj (probe or sniffer or tap)) near6 (multidirection\$3 or ((multi or two or bi) near2 direction\$4) or (send\$5 near4 receiv\$5)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/07/02 15:30
S51	2	(@ad<"20031213" or @rlad<"20031213") and ("709"/\$3.ccls. or "715"/\$3.ccls. or "705"/\$3.ccls. or "370"/\$3.ccls. or "340"/\$3.ccls. or "379"/\$3.ccls. or "340"/\$3.ccls.) and (((network or data or traffic) adj (probe or sniffer or tap)) near6 (insert\$5 near2 (data or traffic or information or bits)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/07/02 17:49
S53	2	"20060153092"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/07/02 14:20
S54	2	(@ad<"20031213" or @rlad<"20031213") and ("709"/\$3.ccls. or "715"/\$3.ccls. or "705"/\$3.ccls. or "370"/\$3.ccls. or "340"/\$3.ccls. or "379"/\$3.ccls. or "340"/\$3.ccls.) and (((network or data or traffic) adj (probe or sniffer or tap)) with ((fan near2 out near2 buffer) or ("fanout buffer") or ("fan-out buffer")))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/07/02 14:29
S55	5	(@ad<"20031213" or @rlad<"20031213") and ("709"/\$3.ccls. or "715"/\$3.ccls. or "705"/\$3.ccls. or "370"/\$3.ccls. or "340"/\$3.ccls. or "379"/\$3.ccls. or "340"/\$3.ccls.) and (((network or data or traffic) adj (probe or sniffer or tap)) same ((fan near2 out near2 buffer) or ("fanout buffer") or ("fan-out buffer")))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/07/02 14:31

## EAST Search History

S56	2	"20060233115"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/07/02 14:31
S57	68	"fan out buffer"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/07/02 15:31
S58	7	"fan out buffer" same "network tap"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/07/02 15:32
S59	10	((combin\$7 or merg\$7) near5 (data)) same (network adj tap)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/07/02 15:34
S60	12	((combin\$7 or merg\$7) near5 (data or traffic or bits or information or packet)) same (network adj tap)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/07/02 15:34
S61	934	(@ad<"20031213" or @rlad<"20031213") and ((combin\$5 or merg\$5) with (network) with (traffic or data or packet) with switch)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/07/02 15:54
S62	40	(@ad<"20031213" or @rlad<"20031213") and ((combin\$5 or merg\$5) near3 (network) near2 (traffic or data or packet) near6 switch)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/07/02 15:51
S63	0	(@ad<"20031213" or @rlad<"20031213") and ((combin\$5 or merg\$5) near3 (network) near2 (traffic or data or packet) near6 "fan out buffer")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/07/02 15:51
S64	5	S62 and "network tap"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/07/02 15:53

## EAST Search History

S65	33	(US-20030135596-\$ or US-20020080754-\$ or US-20020081971-\$ or US-20050129033-\$ or US-20040049602-\$ or US-20050114710-\$ or US-20050050205-\$ or US-20040215832-\$ or US-20030076782-\$ or US-20050005031-\$ or US-20040103318-\$ or US-20020184527-\$ or US-20030204621-\$ or US-20040190547-\$ or US-20060153092-\$ or US-20060233115-\$).did. or (US-6026442-\$ or US-5805806-\$ or US-5809187-\$ or US-6424627-\$ or US-4822125-\$ or US-5185814-\$ or US-5940376-\$ or US-6009284-\$ or US-7027437-\$ or US-6006066-\$ or US-5995512-\$ or US-6898632-\$). did. or (WO-200039962-\$ or US-20050050205-\$ or US-20060153092-\$ or US-20050129033-\$ or EP-695062-\$).did.	US-PGPUB; USPAT; DERWENT	AND	ON	2007/07/02 15:53
S66	7	S65 and "fan out buffer"	US-PGPUB; USPAT; DERWENT	AND	ON	2007/07/02 15:53
S67	16050	(@ad<"20031213" or @rlad<"20031213") and (duplicat\$5 near3 (data or traffic))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/07/02 15:55
S68	26	(@ad<"20031213" or @rlad<"20031213") and (duplicat\$5 near3 (data or traffic)) with (different near2 location)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/07/02 15:55
S69	2	(@ad<"20031213" or @rlad<"20031213") and (duplicat\$5 near3 (data or traffic)) with (different near2 location) with network	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/07/02 15:56
S70	322	(@ad<"20031213" or @rlad<"20031213") and (duplicat\$5 near3 (data or traffic) near3 network)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/07/02 15:56

## EAST Search History

S71	28	(@ad<"20031213" or @rlad<"20031213") and (duplicat\$5 near3 (data or traffic) near3 network near5 (rout\$5 or send\$5 or foward\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/07/02 16:05
S72	4	(@ad<"20031213" or @rlad<"20031213") and (duplicat\$5 near3 (data or traffic) near3 network near5 buffer)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/07/02 16:07
S73	322	(@ad<"20031213" or @rlad<"20031213") and (duplicat\$5 near3 (data or traffic) near3 network)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/07/02 16:08
S74	30	(@ad<"20031213" or @rlad<"20031213") and (duplicating near3 (data or traffic) near3 network)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/07/02 16:37
S75	695	(@ad<"20031213" or @rlad<"20031213") and "IP multicasting"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/07/02 16:29
S76	57	(@ad<"20031213" or @rlad<"20031213") and "IP multicasting".ab.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/07/02 16:32
S77	0	(@ad<"20031213" or @rlad<"20031213") and "IP multicasting" with buffer	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/07/02 16:32
S78	0	(@ad<"20031213" or @rlad<"20031213") and (IP adj multicasting with buffer)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/07/02 16:32
S79	695	(@ad<"20031213" or @rlad<"20031213") and (IP adj multicasting)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/07/02 16:32
S80	0	(@ad<"20031213" or @rlad<"20031213") and (IP adj multicasting) near5 buffer	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/07/02 16:32

## EAST Search History

S81	10	(@ad<"20031213" or @rlad<"20031213") and (IP adj multicasting).ti.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/07/02 16:32
S82	55	(@ad<"20031213" or @rlad<"20031213") and (duplicating near3 (data or traffic) near2 stream)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/07/02 16:38
S83	0	(@ad<"20031213" or @rlad<"20031213") and (duplicating near3 (data or traffic) near2 stream) same (insert\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/07/02 16:39
S84	46	(@ad<"20031213" or @rlad<"20031213") and (duplicating near3 (data or traffic) near2 stream) and (insert\$4 or add\$5 or append\$5) with data	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/07/02 16:50
S85	154	(@ad<"20031213" or @rlad<"20031213") and (merging near3 (data or traffic) near2 stream)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/07/02 16:50
S86	20	(@ad<"20031213" or @rlad<"20031213") and (merging near3 multiple near3 (data or traffic) near2 stream)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/07/02 17:12
S87	21	(@ad<"20031213" or @rlad<"20031213") and (merging near3 (multiple or several or plural\$5) near3 (data or traffic) near2 stream)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/07/02 17:14
S88	2	"5450411".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/07/02 17:14
S89	0	(@ad<"20031213" or @rlad<"20031213") and ((switch or "span port") with merg\$5 near3 (multiple or several or plural\$5) near3 (data or traffic) near2 stream)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/07/02 17:15
S90	19	(@ad<"20031213" or @rlad<"20031213") and ((switch or "span port") with merg\$5 near3 (multiple or several or plural\$5) near3 (data or traffic))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/07/02 17:17

## EAST Search History

S91	56	(@ad<"20031213" or @rlad<"20031213") and ((switch or "span port") with (merg\$5 or combin\$5) near3 (multiple or several or pluarl\$5) near3 (data or traffic))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/07/02 17:37
S92	3	(@ad<"20031213" or @rlad<"20031213") and ((switch or "span port") with (merg\$5 or combin\$5) near3 (multiple or several or pluarl\$5) near3 (data or traffic) with buffer)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/07/02 17:35
S93	372	(@ad<"20031213" or @rlad<"20031213") and ((switch or "span port") with (merg\$5 or combin\$5) near5 (data or traffic)) and ((switch or "span port") near5 buffer)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/07/02 17:38
S94	216	(@ad<"20031213" or @rlad<"20031213") and ((switch or "span port") near5 (merg\$5 or combin\$5) near5 (data or traffic)) and ((switch or "span port") near5 buffer)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/07/02 17:38
S95	121	(@ad<"20031213" or @rlad<"20031213") and ((switch or "span port") near5 (merg\$5 or combin\$5) near5 (data or traffic)) and ((switch or "span port") near5 buffer) and ("370"/\$3.ccls. or "709"/\$3.ccls.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/07/02 17:40
S96	0	(@ad<"2003" or @rlad<"2003") and ((switch or "span port") near5 (merge or merging or combine or combining) near5 (data or traffic)) and ((switch or "span port") near5 buffer)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/07/02 17:41
S97	84	(@ad<"20030101" or @rlad<"20030101") and ((switch or "span port") near5 (merge or merging or combine or combining) near5 (data or traffic)) and ((switch or "span port") near5 buffer)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/07/02 17:42
S98	15	(@ad<"20030101" or @rlad<"20030101") and ((switch or "span port") near5 (merge or merging or combine or combining) near5 (data or traffic) with buffer)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/07/02 17:42

## EAST Search History

S99	27398	(@ad<"20031213" or @rlad<"20031213") and (switch near5 multiplex\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/07/02 17:49
S10 0	6238	("709"/\$3.ccls. or "715"/\$3.ccls. or "705"/\$3.ccls. or "370"/\$3.ccls. or "340"/\$3.ccls. or "379"/\$3.ccls. or "340"/\$3.ccls.) and (switch near5 multiplex\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/07/02 17:50
S10 1	5610	(@ad<"20030101" or @rlad<"20030101") and ("709"/\$3.ccls. or "715"/\$3.ccls. or "705"/\$3.ccls. or "370"/\$3.ccls. or "340"/\$3.ccls. or "379"/\$3.ccls. or "340"/\$3.ccls.) and (switch near5 multiplex\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/07/02 17:50
S10 2	588	(@ad<"20030101" or @rlad<"20030101") and ("709"/\$3.ccls. or "715"/\$3.ccls. or "705"/\$3.ccls. or "370"/\$3.ccls. or "340"/\$3.ccls. or "379"/\$3.ccls. or "340"/\$3.ccls.) and (switch near5 multiplex\$4).ab.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/07/02 17:51
S10 3	587	(@ad<"20030101" or @rlad<"20030101") and ("709"/\$3.ccls. or "715"/\$3.ccls. or "370"/\$3.ccls. or "340"/\$3.ccls. or "379"/\$3.ccls. or "340"/\$3.ccls.) and (switch near5 multiplex\$4).ab.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/07/02 18:00
S10 4	587	(@ad<"20030101" or @rlad<"20030101") and ("709"/\$3.ccls. or "715"/\$3.ccls. or "370"/\$3.ccls. or "379"/\$3.ccls. or "340"/\$3.ccls.) and (switch near5 multiplex\$4).ab.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/07/02 17:53
S10 6	2	"5274631".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/07/02 17:55
S10 7	103	(@ad<"20030101" or @rlad<"20030101") and ("709"/\$3.ccls. or "715"/\$3.ccls. or "370"/\$3.ccls. or "340"/\$3.ccls. or "379"/\$3.ccls. or "340"/\$3.ccls.) and (duplicat\$4 near4 (packet or data or stream) near4 buffer)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/07/02 18:07

## EAST Search History

510 8	12	(@ad<"20030101" or @rlad<"20030101") and ("709"/\$3. ccls. or "715"/\$3.ccls. or "370"/\$3. ccls. or "340"/\$3.ccls. or "379"/\$3. ccls. or "340"/\$3.ccls.) and (duplicating near4 (packet or data or stream) near4 buffer)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/07/03 08:54
----------	----	--	---	-----	----	------------------